PMP or Lesser Rainfall What's the Risk?

Ed Tomlinson, PhD
Applied Weather Associates, LLC
(aka All Wet Consulting, Inc)
Monument, Colorado

Northwest Hydro Operators Forum

Spokane, Washington May 20, 2014



MPP vs PMP

- Older HMRs
 - Maximum Possible Precipitation MPP
 - Absolute maximum rainfall possible
- Probable Maximum Precipitation PMP
 - Estimates of maximum rainfall
 - Determined by hydrometeorologists
 - Different estimates determined by each analyst
 - Probable the most likely estimate determined by various hydrometeorologists
- "Probable" in Probable Maximum Precipitation does not refer to risk of extreme rainfall occurring

PMP

Definition:

The theoretically **GREATEST** depth of precipitation for a given duration that is physically possible over a given storm area at a particular geographic location at a certain time of year (HMR 57, 1994)

Greatest = Zero Risk

PMP

- But really, is there any risk in PMP values?
- Theoretical values computed by weather people
 - There are no physics models
 - Based on greatest rainfall from storms in the last 100 years
- Greatest depth of precipitation
 - Use procedures developed 65 years ago
- Physically possible
 - Based on judgments of meteorologists
- Geographic region
- Certain time of year
- OK so maybe not completely Zero Risk

PMP used to Compute PMF

PMF Definition:

- The flood resulting from PMP
- Applicable <u>snow melt</u> coupled with the <u>worst flood-producing catchment conditions</u>
- Realistically expected in the prevailing meteorological conditions

PMF

So We now have a flood based on

- The theoretically greatest rainfall that is physically possible
- Realistically expected worst flood-producing catchment conditions

• Let's assume that what we have done is reliable....Then are we OK?

Hurricane Irene: Northeastern US, August 2011



Hurricane Irene: Northeastern US, August 2011

- Dam demonstrated to pass the PMF using a site-specific PMP analysis
 - Heavy rainfall began over the watershed
 - The power failed at the dam and the back-up generator (tested weekly) failed
 - Fortunately a construction generator was available and used to open gates
- The flood was less than the PMF but

- Estes Park: Lawn Lake Dam, July 1982
 - Clear night, no rainfall
 - Sunny day failure (OK starry night failure)
 - Limited life lost because of service personnel warning
 - Dam passed the PMF but

Estes Park: Lawn Lake Dam, July 1982



- Estes Park: Lawn Lake Dam, July 1982
 - Clear night, no rainfall
 - Sunny day failure (OK starry night failure)
 - Limited life lost because of service personnel warning
 - Dam passed the PMF but

Rainfall

- Rainfall occurs with various levels of intensity
 - 1-year annual recurrence interval (ARI)
 - $-\mathbf{PMP}$
- Smaller events together with unrelated issues can cause significant problems
- Designing to the PMF does not eliminate all potential problems

Challenge

- Given: Must consider the PMP as it contributes to the PMF
- Risks of lesser rainfall events with unrelated hazards should be considered
- Snowmelt even with zero rainfall can produce significant flooding
 - Example: Colorado Rocky Mountains
 - Elevations above 7,500 ft (2,300 m)
 - Paleoflood evidence shows largest floods are not associated with rainfall events

Take-Home Message

- Extreme events are important
- Less events can be really significant
- Risk Informed Decision Making
 - Consider the full spectrum of risks
 - Consider combinations of risks
 - Each may not attract attention
 - In combination could be a Big Problem

????? Questions ?????

(Remember Lunch is Waiting)

